

22. Index

2-Phase Locking 7-38, 11-24
2-Phase Commit 7-50, 19-4
2.2-Tier 7-10, 7-12, 7-25
3270 Bildschirm 9-6, 18-1
3270 Protokoll 9-4, 9-7, 18-8
3-Tier 7-11, 7-12
3390 Festplattenspeicher 5-29, 5-31 ff.
3990 Control Unit 5-29, 5-31
Abend 7-48
Access Method 6-9
ACID 7-14, 7-25, 7-26, 10-6
Adabas AG
Adressumsetzung 2-12, 2-16, 2-21, 12-18, 12-19
Advanced Analytics 14-49
AIX 17-1
Allocating a Data Set 3-39, 3-42
Altersstruktur 1-21
Android 19-34
Annotation 15-38
Anwendungsarchitektur 20-34 ff.
APPC 18-5
Application Programming Interface (API) 9-36
Application owning Region (AOR) 9-31, 9-32
ARIS 20-45
ARM Holdings 1-30
ATTACH Macro 3-45
Auxiliary Storage 2-18
Availability (Verfügbarkeit) 1-8

Backward Recovery 7-47
Basic Mapping Support (BMS) 8-29, 8-47, 9-10 ff., 9-17, 18-28
Batch Processing 3-6, 3-24
Big Endian 1-33
Bit Vector 11-21, 11-22
Blade 14-32 ff.
Blade Center (Blade Enclosure) 14-33 ff.
Block 3-39, 3-42, 6-10
Block Table Address Register 12-44
Book 4-29, 4-33 ff.
Buffer 6-23
Buffer Pool 5-44, 7-6, 11-38, 11-39
Business Intelligence (BI) 14-49
Business Logic 7-8, 9-1, 15-23, 18-15
Business Object 16-4
Business Process Execution Language (BPEL) 20-47
Business to Business (B2B) 20-27

Byte Code 15-1
Byte Count Register (BCR) 5-10

C/C++ 16-34, 17-7
Cache 2-34
Cache Directory 2-37
Cache Hierarchy 4-18
Cache Line 2-37
Cache Structure 11-20
Cast out 11-44, 11-45
Catalog...6-25
CEDA 8-46, 17-35
Channel 5-8, 5-13, 5-14 ff., 5-29, 10-16
Channel End Device End (CEDE) 5-30
Channel, Channel Path 5-14, 5-19
Channel Control Word (CCW) 5-20, 5-30
Channel Initiator 10-21
Channel Path Identifier (CHPID) 5-15
Channel Program 5-30 ff.,
Channel Subsystem. 5-22 ff.
Channel to Channel Protocol (CTC) 5-35, 11-12, 11-14
Character User Interface (CUI) 9-4
CICS 8-3 ff.
CICS Container 19-24
CICS Domäne 8-33
CICS Execute Interface Block (EIB) 8-40
CICS File Manager 8-40
CICS Nucleus 8-30 ff., 19-16
CICSplex 9-33
CICS Program Manager 8-33 ff.
CICS Shell 8-50
CICS Storage Manager 8-38 ff.
CICS Task Manager 8-33 ff.
CICS Temporary Storage (TS) 8-40
CICS Terminal Manager 8-33, 8-47
CICS Task Manager 8-36
CICS Transaction Gateway 18-34
CICS Transient Data (TD) 8-40
CICS Universal Client 18-30
Classification 13-20, 13-24, 13-25
Class Loader 15-5
Client/Server 7-1, 10-1 ff.
Client Stub 10-2
Cluster 11-2, 11-4
CMS 12-16
Collating Sequence 6-30
COMMAREA 8-39, 9-14, 18-17 ff., 20-17, 20-25, 20-30
Commit 7-17, 7-21, 7-26, 7-38, 7-43
Common Client Interface (CCI) 18-39 ff.
Communication Server 3-48, 18-4
Concurrency 7-36, 16-18
Control Area 6-22
Controler (WAS) 17-38
Control Interval (CI) 6-19 ff.
Control Register 1-29

Control Unit 1-37, 5-19, 5-22
Copybook 9-37, 20-22
Corba 9-5, 10-4, 16-8, 16-22, 20-19
Coupling Facility (CF) 11-11, 11-13, 11-15 ff.
Coupling Facility Cache Directory
Coupling Facility Control Code (CFCC) 11-10, 11-15, 11-19
Coupling Link 11-3, 11-17, 11-18
Coupling Support Facility 11-17, 11-18
CPI-C 10-4
cron 3-8
Crossbar Switch 11.3
CRUD (Create, Read, Update, Delete) 8-17
Coupling Facility 11-10, 11-14 ff.
Coupling Facility Control Code 11-10, 11-18
Current Multiprogramming Level (CMPL) 13-14

Data Facility Storage Management System 3-40
Data Mining 14-47
Dataset 6-6
Dataset Namen 6-11
Data Warehouse 14-46
Dateisystem 3-38
Datenbank 7-2 ff.
Daten Cache 2-38
Datensystem 7-5
DCA 4-34
DCE RPC 10-4, 16-25
Decimal Floating Point 1-31
Demand Paging 2-19
Deployment Descriptor 17-16 ff.
DFSMS 3-40, 14-8
Digital Equipment Corporation 1-27, 4-1
DIMM 4-34, 4-37, 4-43, 11-5, 11-9, 12-4
Dinosaurier Mythos 1-3
Direct Access Storage Device (DASD) 5-29
Direct Dataset 6-7
Direct Memory access (DMA) 5-8
Director, FICON Director 5-16, 5-25, 11-11, 11-12, 11-14
Discretionary 13-22
Distributed Objects 15-33
Distributed Program Link (DPL) 9-35, 10-4, 18-17, 18-32, 20-12, 20-17
Distributed Server 17-36
Distributed Transaction 7-49 ff.
Distributed Transaction Programming (DTP) 9-35
Distributed Transaction System 19-2
DMA 5-8 ff.
DotNet 10-4, 16-11
DRAM – 2-34
Drucker 5-55
DS68000 5-15
DTD 20-1
Dynamic Address Translation 2-12
Dynamic Channel Path Management 12-48
Dynamisches SQL 7-22, 7-32
Dynamic Path Selection (DPS) 5-23

Eager und Lazy Locking 11-37
EBCDIC 1-32
e-Business 17-28
ECI 9-5, 18-17, 18-19, 18-32, 18-39, 18-43
Eclipse 3-55, 15-13, 20-25
EDRAM 4-12
eEPK 20-45
EJB Container 15-30 ff., 17-16, 17-26, 17-38
Embedded SQL 7-20, 7-27, 8-11
Emulator 12-7
Enclave 19-10 ff.
Ensemble 14-44
Enterprise Archive (EAR) 17-23
Enterprise Information System (EIS) 18-37 ff., 19-7
 A. Enterprise Java Beans (EJB) 7-11, 9-5, 15-30 ff., 18-34
Enterprise Service Bus 20-48
Enterprise Storage Server (ESS) 5-8, 5-26, 5-44 ff.
Entity Bean 15-36
Entry Sequenced Dataset (ESDS) 6-17, 6-27, 6-28
EPI 9-5, 18-17, 18-20, 18-39
Enterprise Resource Planning (ERP) 18-37
ETL (Extraktion, Transformation, Laden) 14-46, 14-49
EXCI 18-29, 18-43, 20-26
Exclusive Lock 11-24
EXEC CICS 8-6 ff., 8-12
EXEC CICS LINK 9-35, 18-32
EXEC CICS SEND MAP 9-13, 9-16
EXEC SQL 7-26, 8-12
Execution Velocity 13-21 ff.
External Call Interface (CI) 9-5, 9-9
External CICS Interface (EXCI)
External Programming Interface (EPI) 9-5, 9-9
Externer Seitenspeicher 2-17

Fabric Book Connectivity (FBC) 4-29
Fachliche Aktivität 20-38
Fanout Card 4-35, 5-8
FATA 5-17, 5-47
Fat Client 7-9
FC-SCSI 5-17
Forms 15-16 ff.
FPGA 14-53 ff.
Function Shipping 9-30
Fehlseitenunterbrechung 2-19
Fibre Channel 5-16, 14-40
Fibre Channel Arbitrated Loop (FC-AL) 5-16, 5-46, 5-48
Fibre Channel Switched Fabric (FC-SW) 5-16
FICON 5-12, 5-12, 5-14, 5-15, 5-25, 5-29, 5-34, 5-46
File owning Region (FOR) 9-31
Firmware 5-20, 12-29, 18-5
Flattern 13-11
Flexible Support Processor (FSP) 4-34, 14-17
Force at commit 11-37, 11-40, 11-42
Full-Time Equivalent 1-18

Gartner 1-5
Gast Betriebssystem 12-10
Gast Kernel 12-10, 12-14
Gast Modus 12-25
General Purpose Register 1-29
Geographically Dispersed Parallel Sysplex (GDPS) 9-19, 14-1
Geschäftsprozess 20-33, 20-38, 20-40, 20-44
Gleitkommaregister 1-29, 6-1
Globaler Speicher 11-5
Globale Transaktion 19-6
Global Lock Management 11-30
Global Mirrot 14-3
Goal 13-5
Goal Oriented Work Load Manager (Goal-WLM) 13-6, 13-9, 13-16
Goal Orientierung 13-17
Graphical User Interface (GUI) 9-4
Group 8-44, 17-19

Handle 10-38
Hardware Management Console 1-36, 3-29, 14-17
Hardware System Area (HSA) 4-38, 12-29
Harte Partitionierung 12-5
Hash 11-32, 11-33
Heap 15-3
Hierarchical File System 6-15, 17-7
HiperSockets 12-53, 14-39
HMC 1-36, 14-17, 14-43
Host Access Transformation Services (HATS) 18-21 ff.
Host Betriebssystem 12-10
Host Channel Adapter (HCA) 5-9
Host Kernel 12-10, 12-14
Host Modus 12-25
Hot Plug 5-50
HP 4-4
HP-UX 11-9, 17-1
HTML 15-14, 20-1
HTTP15-15
HTTP Internal Transport 17-42. 17-43
HTTP-Server 15-41
Hypervisor 12-10

IDCAMS 6-26
Idempotent 7-42
IEDN (Intraensemble Data Network) 14-38
IIOP 16-8, 16-10, 16-22, 16-33
Importance 13-20, 13-24
IMS 3-45 ff., 20-10
IDAA (IBM DB2 Analytics Accelerator for z/OS) 14-60 ff.
Indexed Dataset 6-7
Infiniband 4-35
INMN (Intranode Management Network) 14-38
IND\$FILE 18-10
Instruction Cache 2-38
Integrated Coupling Facility (ICF) 14-13

Intelligent Resource Director (IRD) 12-41
Interaktive Verarbeitung 3-6
Interface Definition Language (IDL) 16-3, 16-29, 20-2, 20-16
Internal Queued Direct I/O (iQDIO) 12-52
Interoperable Object Reference (IOR) 16-8, 16-12, 16-22
Interpretive Execution Facility (IEF) 12-16
Interprocess Communication 9-28, 18-5
Intersystem Communication (ISC) 9-28, 9-29, 9-35 ff., 20-26
I/O Adapter Card 4-39
I/O Drawer 4-39, 5-8
ISPF 3-19, 3-32, 3-37, 3-42, 3-55, 17-9
ISPF Editor 17-9

Java Archive (jar) 17-19 ff.
Java Beans 15-24 ff.
javac Compiler 16-32
Java Connector Architecture (JCA) 18-39
Java Database Connectivity (JDBS) 7-19, 7-21, 7-23, 15-35, 18-40
Java Enterprise Edition (JEE) 15-29
Java Interface Definition Language (JIDL) 15-35
Java Management API (JMAPI) 15-35
Java Message Driven Bean (MDB) 15-48, 18-44
Java Message Service 10-13, 15-35, 18-44
Java Naming and Directory Interface (JNDI) 15-35, 15-38, 20-12
Java Remote Message Protocol (JRMP) 16-15, 16-28 ff.
Java Runtime 15-6
Java Server Page (JSP) 7-11, 15-21 ff.
Java Transaction API 19-1
Java Threads 16-18
Java Transaction Service (JTS) 15-35
JCICS 19-25
JCL 3-10, 3-17, 13-36
JDK 15-5
JES 3-3
JES 3-7, 3-21
Job 3-7
Job Scheduler 3-7, 3-11, 3-23
JRIO 15-11
Just in Time Compiler (JIT) 15-8
JVM (Java Virtuelle Maschine) 12-7, 15-1 ff.
JVM Pool 19-26 ff.
JVM Server 19-33

Kerberos 7-40, 7-44
Key Field 6-29
Key Sequenced Dataset (KSDS) 6-17, 6-29
KVM (Kernel based Virtual Machines) 14-43
Knoten 11-4, 11-12 ff.

L2 Cache 2-39
L4 Cache 4-17, 4-29
Language Environment (LE) 19-10 ff.
LDAP 16-22
Library 6-14
Linear Dataset (VSAM) 6-17, 6-37

Link Processor 11-18, 11-20
Listener 10-2215-50
List Structure 11-20, 11-47
Load Balancer 13-1, 17-30, 17-37
Lochkarte 3-14..3-16
Local Lock Management (LLM) 11-30
Lock 7-37, 11-17, 11-20
Locking 7-35, 11-23
Lock Management 11-34
Lock Manager 7-41
Lock Structure 11-20
Logical file System 17-12
Logical Memory Block (LMB) 12-35, 12-42
Logical Partition – siehe LPAR
Logical Volume (LV) 5-33
Logische CPU 12-46
Logischer Record 3-39
Log 7-46
Log Manager 7-41
LPAR 12-31 ff.
LPAR CPU Management 12-45 ff.
LU 2 18-5, 18-8 ff.
LU 6.2 18-5 ff., 18-31

Magnetband Kasette 5-51
MAP 8-42
Mapset 8-42 ff.
Master Console 3-29
Mehrfachrechner 11-1
Mehrzweckregister 1-29, 6-1
Member 6-13
Memory Bus Adapter (MBA)...5-9
Memory Control Unit (MCU) 4-37
Message Based Queuing (MBQ) 10-6
Message Channel 10-8, 10-29
Message Channel Agent (MCA) 10-18
Message Handler 20-28
Message Queue 10-16
Message Queuing Interface (MQI) 10-11 ff., 10-37 ff.
Message Queue Object Descriptor (MQOD) 10-19, 10-24, 10-26
Metro Mirror 14-3
Microcode 5-20
Middleware 10-10
Minidisk 12-13, 12-16
MQ CICS Bridge 10-33
MQ Channel, MQ Message Channel 10-14, 10-17
MQI Channel 10-30
MQGET 10-11
MQPUT 10-11
MQSeries – siehe WebSphere MQ
MRO 9-29, 20-26
Multi Chip Module 4-6, 4-19 ff., 4-29
Multilayer Ceramic 4-23 ff.
Multiple Image Facility (MIF) 12-50
Multiprogrammierung 2-8, 2-11

Multiprogramming Level (MPL) 13-14
Multiregion Communication 9-28 ff.
Multiple Sysplex 14-5
MVS 3-5

NACT 8-13
Namens- und Verzeichnis Dienst 16-19
Netezza – siehe PureData System for Analytics ff
Net Weaver 15-31.
Non-Uniform Memory Architektur (NUMA) 4-13, 12-3, 12-4
Non-Volatile Storage (NVS) 5-45, 5-46
Non-VSAM 6-12

Object Reference 16-19
Object Request Broker (ORB) 16-7, 16-31
Object RPC 16-5
OEMI 5-14
OMVS Command 17-9, 17-10
Online Transaction Processing (OLTP) 20-43
Operater Console 3-29
Oracle 3-46, 17-8, 18-37
OS/360 3-5
OS/390 3-5
OSA Adapter 5-34, 12-53, 14-39
OSGi Bundle 19-33
OSI 18-1
Outage 1-10
OSX Adapter 14-39

Package 7-20
Paravirtualisierung 12-9, 12-24
Partitioned Dataset 6-7, 6-13 ff.
PCI 4-34, 4-35, 4-40, 5-8
PDS Directory 6-13
Pentium Pro 4-28
Performance Index (PI) 13-23
Persistenz 5-43, 15-33
Physical File System 17-12
Physischer Record 3-39
Pipe Line (CICS) 20-28
Plug-in 15-42ff.
POSIX 17-2
POST 15-16
Problemstatus 2-25, 12-25
Program Control Table 8-47
Plattenspeicher Cache 5-44
Präsentationslogik 7-8, 9-1, 15-23, 18-15
Presentation Services 7-40
Prozess 2-6, 20-33
Prozessverwaltung 3-44
PR/SM 12-8, 12-30 ff.
PU 2 18-5, 18-8 ff.
PU 4 18-5
PU 5 18-5, 18-8 ff.
Publishing (XML Database) 20-5

PureData System for Analytics (Netezza) 14-51

Quasireentrant 9-34

Queue – siehe Message Queue

Queued Direct I/O (QDIO) 12-51

Queue Manager 10-10, 10-11

RACF 3-50

Rahmen 2-13

RAMAC 5-1

Rational Developer for System z (RDz) 3-55, 15-13

Record 6-5

Read/Write (R/W) 5-52

Reale Adresse 12-32

Realer Speicher 2-14, 12-19, 12-31

Record Level Sharing (RLS) 9-33

Recovery Unit (R-Unit) 4-15

Redundant Array of independent Disks (RAID) 5-35 ff.

Redundant Array of independent Memories (RAIM) 4-37, 20-25

Region 2-8 ff., 3-4, 3-23, 3-26, 3-33, 8-32

Registry 16-19

Relative Record Dataset (RRDS, VSAM) 6-17, 6-37

Remote Procedure Call (RPC) 10-1, 10-2, 10-4, 16-1 ff., 20-12

Resettable JVM 19-32

RMI over IIOP (RMI/IIOP) 16-17, 16-27 ff.

Repository 7-41, 7-46

Resource Adapter (RA) 18-39 ff.

Resource Manager 7-34, 19-6 ff.

Resource Management Facility (RMF) 13-6, 13-9

Resourcen 13-5

Resource Recovery Services (RRS) 7-53, 19-4, 19-9

Response Time 13-21 ff.

Return Code 10-38

REXX 3-12

Rezentralisierung 12-56

rlogin 17-9

RMI 10-4, 16-12 ff., 20-18

rmic Compiler

Rollback 7-13, 7-27, 7-47, 7-48

RPC Server 16-16

RPC Service 16-16

SAF 3-52

SAP (System Assist Processor) 4-40, 5-21, 12-29

SAP AG 5-21, 11-12, 11-29, 18-37

SATA 5-12, 5-17, 5-47

S- Blade 14-53 ff.

Scheduler 2-9 ff., 2-30 ff., 12-13

Screen Scraping 9-19 ff., 18-20

SCSI 5-12 ff.

Seagate 5-4, 5-12

Seitentabelle 2-14

Security Server 3-49

Sensitive Befehle 12-10, 12-23, 12-25

Serial ATA (SATA) 5-12

Sequential Dataset 6-7, 6-8
Servant 17-38
Server Stub 10-2
Service Class 13-5, 13-18 ff. 13-29 ff.
Service Definition 13-20, 13-26, 13-29
Service Unit 13-5
Servlet 7-11, 15-19 ff.
Servlet Container 15-20, 17-16, 17-26, 17-38
Session Façade 15-37
Session Bean 15-36
Shadow Page Table 12-22, 12-28
Shared Data 14-50
Shared Lock 11-24
Shared Nothing 14-50
Shell 17-7, 17-9
Shredding 20-4
Skalierung 11-50, 12-1, 18-45
Skeleton 10-2, 16-1, 20-17
SNA 3-48, 10-4, 18-1 ff.
SNA Session 18-5
Slot 7-6
Sneakernet 10-15
SOA (Service Oriented Architecture) 20-43
Soap RPC 9-5, 10-4, 20-11, 20-16
Soap Message Adapter 20-27
Socket 10-212-53. 16-2
Solaris 11-9, 17-1
Solid State Drive 3-40, 5-7
Spanned Record 6-24
Speicherschutz 1-34, 2-25, 19-16
Speichersystem 7-5
Split (Control Interval oder Control area) 6-21
Split Cache 2-38
Spool File 3-24
SQL 7-4, 7-5, 7-9, 7-18 ff., 7-25 ff., 14-55, 14-59, 20-4
SQLJ 7-19, 7-21, 7-23, 18-40
SQL Precompiler 7-21
SRAM 2-34
SSL 4-16
Stack 15-3
Stapelverarbeitung 3.6, 3-22
Statisches SQL 7-22, 7-32
Storage Address Register (SADR) 5-10
Storage Area Network (SAN) 5-27
Stored Procedure 7-28 ff.
Storage Protection 1-34
Structured File Server (SFS) 17-37
Subchannel 5-26
Stub 10-1, 16-1, 20-17
Submit Command 3-19
Subsystem 3-26..3-28, 3-33, 3-44
Subworkflow 20-41
Sun 4-1, 4-2, 4-3, 11-6
Sun RPC 10-4
Sun Fire System Board 11-6 ff.

Superdome 4-4, 11-9
Supervisor (siehe Kernel, Überwacher) 2-30, 2-31
Supervisor Call (SVC) 2-26, 2-28, 2-29, 5-30, 17-5
Support Element...4-36, 4-42, 14-17
Symmetrischer Multiprocessor (SMP) 9-28, 11-2, 11-11, 11-13, 12-1
Synchroner RPC 10-5
Synchronisation 7-36, 16-18
String Name 16-19
Sync Point Manager 7-52, 19-4
Sysplex 9-33, 11-10 ff., 13-33
Systemaufruf 2-28, 2-29
System Console 3-29
System Management Facility (SMF) 13-6, 13-8
System 11-12 ff., 13-34
System p 4-1
Sysplex Performance 11-49
System Resource Manager (SRM) 13-6 ff.

Table Space 7-6
Tape Drive 5-52
Tape Library 5-53
Target Multiprogramming Level (TMPL) 13-14
TCB 2-6, 2-9, 2-31, 2-32, 3-45, 9-31, 19-16, 19-20
Target Queue 10-8, 10-19, 10-20, 10-26, 10-35
TCP62 18-12, 18-17
TCP-C 11-37
Technische Aktivität 20-38
Technologische Führungsposition 1-6
Terminal 7-40
Terminal Control Address Space 3-32
Terminal Control Table 8-47
Terminal owning Region (TOR) 9-31
Thermal Conduction Module 4-25 ff.
Thread 3-44, 3-45, 19-18
Thumb-2 1-30
Time Slicing 2-10
Tivoli 13-39
TN3270 18-11, 18-17
Total Cost of Ownership (TCO) 1-13
TP Monitor – siehe Transaction Monitor
Trader Benchmark 18-46
Transaction 7-13 ff.
Transaction Manager... 7-52, 19-6 ff.
Transactional Memory 7-17
Transaction Monitor 7-34 ff., 19-1
Transaction Processing Facility (TPF, auch z/ZPF) 3-1, 8-2, 8-3
Transaction Processing Monitor – siehe Transaction Monitor
Transaction Routing 9-30
Transaction Server – siehe Transaktionsmonitor
Transaction Service – siehe Transaktionsmonitor
Transmission Queue 10-8, 10-20
TRID (Transaction ID) 7-40, 8-14, 8-45, 20-17
Trigger 10-27, 10-31, 10-32, 10-35
Trigger Monitor 10-22
TSO 3-3, 3.31

Tuxedo 7-31

TX Interface 19-8, 19-9

Überwacher 2-5 ff., 2-30, 2-31

Überwacher Status 2-25, 12-25

UDDI (Universal Description, Discovery and Integration) 20-12

Uniform Resource Identifier (URI) 20-12

Unified Resource Manager 14-41 ff.

Unit Record 9-14

Unix File System 6-3, 6-4

Unix System Services (USS) 3-3, 17-1 ff.

Unterbrechung 2-26, 2-27

Unterbrechungsgesteuerte Ein/Ausgabe 5-10

User Status 2-25

USS TCB 17-13

Verfügbarkein (Availability) 1-8

Verteilte Lock Tabelle 11-27

vi editor 17-9

Virtual Local Area Network 12-53

Virtuelle Maschine 12-8 ff.

Virtuelle Partitionierung 12-7

Virtueller Speicher 2-14, 12-19

Virtual Tape Server (VTS) 5-55

Volume 5.28

VSAM 3-38, 6-6, 6-12, 6-16 ff., 8-16, 8-49, 9-33, 19-1,

VSAM Cluster 6-32, 6-33

VSAM Data Component 6-32, 6-34

VSAM Index 6-32

VSAM Index Set 6-34

VSAM Index Component 6-32

VSAM Multilevel Index Component 6-34

VSWITCH 12-53

VTAM 18-5, 18-7

Web Application 17-21

Web Application Server 15-31

Web Archive (WAR) 17-23

Web Container 17-16, 17-21, 17-42

Web Logic 15-31

WebSphere Application Server (WAS) 10-10, 15-31, 16-36, 17-33 ff., 17-36

WebSphere MQ 9-5, 10-6 ff., 17-33

Web Service 20-3, 20-11 ff.

Web Service Provider 20-27 ff.

Web Service Requestor 20-27 ff.

Work 13-5

Workflow 20-38

Work Load Manager (WLM) 13-1 ff., 17-40

Work Unit 13-5

WORM Magnetbandkassette 5-51

WSDL 20-11, 20-20 ff.

X.25 8-1

X.400 8-1

X.500 8-1

X.509 8-1
XA Interface 19-8, 19-9
XCF (Cross System Communication Facility) 5-35, 11-12, 11-14
XES (Cross System Extension Services) 11-30
XHTML 20-2
XML 20-1 ff.
XML enabled Data Base 20-4, 20-7
XML native Data Base 20-4, 20-8
XML Parser 20-3
XSD 20-1
XSLT 20-1, 20-4
X/Open 19-6
X/OPEN XA 19-6
XPG 4.2 17-2

Zeitscheiben Steuerung 2-10
Zugriffssystem 7-5
z9 4-8
z10 4-8
z196...4-8
zBX (zEnterprise Blade Center Extension) 8-3, 14-27 ff.
zEC12 4-8
zLinux 3-1, 12-36
Zone Origin Register 12-31
z/VM 12-16
Zylinder 5-6

Mainframe Rechner verfügen über eine ganze Reihe von technologisch führenden Eigenschaften, die auf anderen Plattformen nicht verfügbar sind.

In dem hier vorliegenden Band 2 erläutern wir Eigenschaften wie:

**Sysplex und Coupling Facility
Logische Partitionen
Goal Orientierter Work Load Manager
Hybrid Computing mit zBX und
DB2 Analytics Accelerator
WebSphere für z/OS
CICS Transaction Gateway
CICS Transaktionsverarbeitung mit Java**